



# Certificate

## EU - TYPE EXAMINATION CERTIFICATE (Translation)



- (1) **EU - TYPE EXAMINATION CERTIFICATE (Translation)**
- (2) Equipment or Protective System Intended for use in potentially Explosive Atmospheres - **Directive 2014/34/EU**
- (3) Certificate Number: TÜV-A 18ATEX0068
- (4) Product: RotoRex®
- (5) Manufacturer: ibW Rührwerkstechnik GmbH
- (6) Address: Ferdinand-Porsche-Straße 36  
75382 Althengstett  
GERMANY

Online Verification



- (7) This product and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.
- (8) TÜV AUSTRIA SERVICES GMBH, Notified Body number 0408, in accordance with Article 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.  
  
The examination and test results are recorded in confidential report No. TUV-A 2018-TAD\_000008\_RotoRex®.
- (9) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:  
  
EN ISO 80079-36:2016    EN ISO 80079-37:2016  
  
except in respect of those requirements listed at item 18 of the Schedule.
- (10) If the sign "X" is placed after the certificate number indicates that the product is subject to the Specific Conditions of Use specified in the schedule to this certificate.
- (11) This EU - TYPE EXAMINATION CERTIFICATE relates only to the design and construction of the specified product. Further requirements of the Directive apply to the manufacturing process and supply of this product. These are not covered by this certificate.
- (12) The marking of the product shall include the following:

**Ex II 1/2 G Ex h IIB T3 Ga/Gb**

Filderstadt  
Ort  
Place

21.03.2019  
Datum  
Date

  
Michael Reuschel  
freigegeben durch  
approved by



## ANNEX

(13)

(14)

### EU - TYPE EXAMINATION TÜV-A 18ATEX0068

(15) **Description of Product**

RotoRex® jetstream agitators are designed for use in open and closed containers. The optimal installation direction is perpendicular from above or slightly inclined outside of the tank center. RotoRex® jetstream agitators are used to stir liquids up to good flowable mediums. The drive is located in zone 1, the sealing systems in the boundary zone 0/1 and the agitator shaft and stirring element in zone 0. The agitator assembly can be found in the point construction.

**Technical data**

Drive Power [kW]:	0,12-150
RPM [1/min]:	1 - 3000
Drive:	electrical / pneumatic
Gearbox Type:	without gearbox
Bearing lantern:	with and without
Shaft feedthrough:	Distance lantern with flame arresting gap or mechanical seal

(16) **Test report**

TUV-A 2018-TAD\_000008\_RotoRex®.

(17) **Special conditions of use**

- The machine and the container must be integrated in the local equipotential bonding. All conductive parts must be grounded or connected to conductive parts. The bleeder resistor must be  $\leq 106 \Omega$ .
- The construction and installation must be carried out during initial commissioning in accordance with EN 60079-14 and EN 60079-17.
- Temperature monitoring, fill level monitoring as well as other monitoring devices must meet the requirements of EN 80079-37 ignition protections system b2 with regard to installation and execution.
- A safe zone separation (Zone 0 inside the tank / Zone 1 outside the tank) must be ensured by the operator by means of technical ventilation/ object extraction.
- Process-related ignition sources, in particular electrostatic discharges, which arise as a result of the stirring process, must be avoided. If electrostatic charging can't be avoided the inside of the container must be rendered inert. Only conductive liquids of the gas groups IIA and IIB are allowed to be stirred. The responsibility for this lies with the operator.
- Dry running and pass-through operation are not considered intended use. Suitable measures (fill level monitoring in the container) must be ensured by the operator.



(18) **Essential health and safety requirements**

Met by the standards mentioned above.

Filderstadt

Ort  
Place

21.03.2019

Datum  
Date

Michael Reuschel

freigegeben durch  
approved by